product Information LIVESTOCK SUPPLEMENT SYSTEM

#11448 **Bovalyx** 18% Low Moisture Block

Features & Benefits

- Highly concentrated source of protein, minerals and vitamin helps improve cattle productivity
- · Ideal for all classes of cattle
- Reliable, controlled intake of 0.5 to 1.1 lb. per head per day eliminates over- consumption, saving you money
- High molasses content, as well as added protein, minerals and vitamin, promotes better forage utilization, increasing overall feed efficiency
- Weather- resistant Bovalyx formula eliminates waste, saving you money
- Available in convenient, self- fed, 200- lb. and 125- lb. non- returnable, plastic tubs
- For optimum productivity, provide a free- choice SWEETLIX® mineral and vitamin supplement in conjunction with this product

Nutrient Guarantee

Crude Protein, Min	18.00%	Cobalt, Min	3 ppm
Crude Fat, Min	4.00%	Copper, Min	300 ppm
Crude Fiber, Max	3.00%	Iodine, Min	15 ppm
Calcium, Min	1.00%	Manganese, Min	1,200 ppm
Calcium, Max	1.50%	Selenium, Min	6 ppm
Phosphorus, Min	1.00%	Zinc, Min	900 ppm
Salt, Min	None Added	Vitamin A, Min	70,000 IU/ lb
Magnesium, Min	1.00%	Vitamin D-3, Min	7,000 IU/ lb
Potassium, Min	2.00%	Vitamin E, Min	50 IU/ lb



Product Ingredients

Molasses Products, Processed Grain By- Products, Hydrolyzed Feather Meal, Monocalcium Phosphate, Dicalcium Phosphate, Hydrolyzed Vegetable Oil, Magnesium Oxide, Calcium Carbonate, Manganous Oxide, Manganese Sulfate, Zinc Sulfate, Zinc Oxide, Copper Sulfate, Ethylenediamine Dihydroiodide, Cobalt Carbonate, Sodium Selenite, Calcium Iodate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement and Mineral Oil.

Feeding Directions

Introductory Period: During the first week of use, place the blocks approximately 50-75 feet from loafing and/ or watering areas. As animals become acclimated to the presence of the blocks, some repositioning may be necessary to achieve proper consumption. Move blocks closer to increase consumption; further away to decrease consumption. If overconsumption occurs for more than two weeks and repositioning of the blocks does not correct the situation, remove the blocks and evaluate the overall feeding program. DO NOT ALLOW STARVED ANIMALS FREE ACCESS TO THIS BLOCK. Feeding Recommendations:

1. Feed one block per 20 to 30 head of cattle. All animals should have equal access to blocks. Timid and smaller animals need their share.

- 2. Place the blocks where animals congregate. Locate blocks throughout the pasture at loafing, grazing, feeding and watering areas. Adequate distance must be maintained between blocks to minimize crowding - 20-30 minimum.
- 3. Feed blocks continuously along with a plentiful source of forage and clean, fresh water.
- 4. Cattle will consume from 0.5 to 1.1 pounds per head daily based upon a 1,000-pound animal. One pound of this product will supply 3 milligrams of supplemental selenium.
- 5. Consumption of this block may vary depending upon animal body condition, quality and quantity of forages, seasonal weather conditions, and most importantly, feeding locations of blocks with respect to loafing, grazing, feeding and watering areas.
- 6. If additional mineral and vitamin fortification is desired, provide an appropriate SWEETLIX® self- fed mineral supplement in addition to this supplement. THIS PRODUCT DOES NOT CONTAIN SALT. PROVIDE SALT FREE CHOICE OR IN THE RATION.

CAUTION: USE AS DIRECTED. Consumption of selenium should not exceed 3 mg per head daily.

WARNING: This product, which contains added copper, should not be fed to sheep or any species with a low tolerance to supplemental copper.

This Product Information Sheet is not intended to replace the Product Label. Always read the Product Label for the most current nutrient content and feeding directions.

> www.sweetlix.com 1-888-718-3493