# Product Information Sweetlix LIVESTOCK SUPPLEMENT SYSTEM

# #11450 Bovalyx<sup>®</sup> 28% Low Moisture Block

## Features & Benefits

- Highly concentrated source of protein, minerals and vitamins helps improve cattle productivity
- Formulated for cattle on lower quality forages
- Reliable, controlled intake of 0.5 to 1.1 lb. per head per day
- Non- protein nitrogen added for optimum protein utilization for added value
- High molasses content as well as added protein, mineral and vitamins promotes better forage utilization, increasing overall feed efficiency
- forage utilization, increasing overall feed efficiency • Weather- resistant Bovalyx<sup>®</sup> formula eliminates waste, saving you money
- Convenient, self- fed 200- lb., non- returnable plastic tubs
- For optimum productivity, provide a free- choice SWEETLIX\* mineral and vitamin supplement in conjunction with this product.

### **Nutrient Guarantee**

Crude Protein, Min	28.00%	Cobalt, Min	3 ppm
NPN, Max	10.00%	Copper, Min	300 ppm
Crude Fat, Min	4.00%	Iodine, Min	15 ppm
Crude Fiber, Max	3.00%	Manganese, Min	1,200 ppm
Calcium, Min	1.00%	Selenium, Min	6 ppm
Calcium, Max	1.50%	Zinc, Min	900 ppm
Phosphorus, Min	1.00%	Vitamin A, Min	70,000 IU/ lb
Salt, Min	None Added	Vitamin D-3, Min	7,000 IU/ lb
Magnesium, Min	1.00%	Vitamin E, Min	50 IU/ lb
Potassium, Min	2.00%		



### **Product Ingredients**

Molasses Products, Processed Grain By- Products, Hydrolyzed Feather Meal, Monocalcium Phosphate, Dicalcium Phosphate, Urea, Hydrolyzed Vegetable Oil, Magnesium Oxide, Calcium Carbonate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Ethylenediamine Dihydroiodide, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement and Mineral Oil.

### **Feeding Directions**

**Introductory Period:** During the first week of use, place the blocks approximately 50-75 feet from loafing and/ or watering areas. As animals become acclimated to the presence of the blocks, some repositioning may be necessary to achieve proper consumption. Move blocks closer to increase consumption; further away to decrease consumption. If over-consumption occurs for more than two weeks and repositioning of the blocks does not correct the situation, remove the blocks and evaluate the overall feeding program. DO NOT ALLOW STARVED ANIMALS FREE ACCESS TO THIS BLOCK. **Feeding Recommendations:** 

- 1. Feed one block per 20 to 30 head of cattle. All animals should have equal access to blocks. Timid and smaller animals need their share.
- 2. Place the blocks where animals congregate. Locate blocks throughout the pasture at loafing, grazing, feeding and watering areas. Adequate distance must be maintained between blocks to minimize crowding 20-30 minimum.
- 3. Feed blocks continuously along with a plentiful source of forage and clean, fresh water.
- 4. Cattle will consume from 0.5 to 1.1 pounds per head daily based upon a 1,000- pound animal. One pound of this product will supply 3 milligrams of supplemental selenium.
- 5. Consumption of this block may vary depending upon animal body condition, quality and quantity of forages, seasonal weather conditions, and most importantly, feeding locations of blocks with respect to loafing, grazing, feeding and watering areas.
- 6. If additional mineral and vitamin fortification is desired, provide an appropriate SWEETLIX® self- fed mineral supplement in addition to this supplement. THIS PRODUCT DOES NOT CONTAIN SALT. PROVIDE SALT FREE CHOICE OR IN THE RATION.

**CAUTION: USE AS DIRECTED.** Consumption of selenium should not exceed 3 mg per head daily.

**WARNING:** This product, which contains added copper, should not be fed to sheep or any species with a low tolerance to supplemental copper.

This Product Information Sheet is not intended to replace the Product Label. Always read the Product Label for the most current nutrient content and feeding directions.