Product Information Sweetlix LIVESTOCK SUPPLEMENT SYSTEM

#11488 Bovalyx® Equine LM Forage Balancer™ Low Moisture Block

Features & Benefits

- Scientifically formulated for the specific nutritional needs of horses
- Highly concentrated source of protein, minerals and vitamins helps improve health and performance
- Fortified with organic, chelated minerals for enhanced bioavailability resulting in improved exercise recovery, hoof health, reproductive performance and overall immunity.
- Added Biotin helps promote healthy hoof growth
- All- in- one supplement no additional salt, minerals or vitamins necessary
- Molasses content results in a highly palatable supplement that is readily consumed even by picky eaters
- Weather- resistant Bovalyx® formula eliminates waste, saving you money
- Available in durable 60 and 200 lb. plastic tubs
- Manage so that equines do not consume in excess of three pounds per animal per day.

Nutrient Guarantee

Crude Protein, Min	12.00%	Cobalt, Min	7 ppm
Crude Fat, Min	5.00%	Copper, Min	250 ppm
Crude Fiber, Max	2.50%	Iodine, Min	6.6 ppm
Calcium, Min	1.50%	Manganese, Min	880 ppm
Calcium, Max	2.00%	Selenium, Min	0.70 ppm
Phosphorus, Min	1.00%	Zinc, Min	880 ppm
Salt, Min	12.00%	Vitamin A, Min	30,000 IU/ lb
Salt, Max	14.40%	Vitamin D-3, Min	5,000 IU/ lb
Magnesium, Min	1.00%	Vitamin E, Min	250 IU/ lb
Potassium, Min	2.00%	Thiamine, Min	30 mg/ lb



Product Ingredients

Molasses Products, Salt, Processed Grain By- Products, Hydrolyzed Vegetable Oil, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Magnesium Oxide, Plant Protein Products, Manganous Oxide, Manganese Sulfate, Manganese Proteinate, Zinc Oxide, Zinc Sulfate, Zinc Proteinate, Copper Sulfate, Copper Proteinate, Sodium Selenite, Ethylenediamine Dihydroiodide, Calcium Iodate, Cobalt Proteinate, Cobalt Carbonate, Hydrolyzed Yeast, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Mineral Oil, Vitamin B-12 Supplement, Menadione Sodium Bisulfate Complex, Niacin, Riboflavin, Calcium Pantothenate and Choline Chloride.

Feeding Directions

Introductory Period: During the first week of use, place the blocks approximately 50-75 feet from loafing and/ or watering areas. As animals become acclimated to the presence of the blocks, some repositioning may be necessary to achieve proper consumption. Move blocks closer to increase consumption; further away to decrease consumption. If overconsumption occurs for more than two weeks and repositioning of the blocks does not correct

the situation, remove the blocks and evaluate the overall feeding program. DO NOT ALLOW STARVED ANIMALS FREE ACCESS TO THIS BLOCK. **Feeding Recommendations:**

- 1. Feed 1 block per 3 to 20 head of equines. All animals should have equal access to blocks. Timid and smaller animals need their share.
- 2. Place blocks where animals congregate. Locate blocks throughout the pasture at loafing, grazing, feeding and watering areas. Adequate distance must be maintained between blocks to minimize crowding 20-30 feet minimum.
- 3. Feed blocks continuously along with a plentiful source of forage and clean, fresh water.
- 4. Equines will consume from 0.25 to 3.0 pounds per head daily based upon a 1,000- pound animal.
- 5. Consumption of this block may vary depending upon animal body condition, quality and quantity of forages, seasonal weather conditions, and most importantly, feeding locations of blocks with respect to loafing, grazing, feeding and watering areas.
- 6. If additional mineral and vitamin fortification is desired, provide an appropriate SWEETLIX® self- fed mineral supplement in addition to this supplement.

WARNING: This product, which contains added copper, should not be fed to sheep or any species with a low tolerance to supplemental copper.

CAUTION: Use as directed. Consumption of selenium should not exceed 3 mg per head daily.

This Product Information Sheet is not intended to replace the Product Label. Always read the Product Label for the most current nutrient content and feeding directions.

> www.sweetlix.com 1-888-718-3493